**EAST Search History**

**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 8149 | (server near5 (request$3) near5 (data info information metadata) adj5 client) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L2 | 322 | L1 same (client near5 (transmit$5 send$3 transfer$5) near5 (request) near5 (data info information metadata) adj5 server) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L3 | 174 | L2 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L4 | 285 | (client user) with (send$3) with (notification message) with (data file) with (change$1) with (server) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L5 | 130 | L4 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L6 | 2217 | (data with synchroniz$5).ti. | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L7 | 18 | L6 and (server adj5 request $3 adj5 (data file) adj5 (client user)) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L8 | 8 | L7 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:03 |
| L9 | 19 | ((data near5 object) metadata) with (push near5 pull) same (server) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:04 |
| L10 | 5 | L9 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:04 |
| L11 | 8616 | 709/228,220.ccls. | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L12 | 1072 | L11 and ((translat$3 re $1format$3 re$1configur $4) with (data file)) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L13 | 683 | L12 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L14 | 289 | (utiliz$3 using) near5 (xml) near5 (transfer send transmit) near5 (packet data file) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |

| L15 | 7 | L14 and ((xsl) with ( transcod$3 translat$5 encod$3)) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
|---|---|---|---|---|---|---|
| L16 | 1 | L15 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L17 | 39 | ( (client) adj5 wait adj5 (response ack reply acknowledgment server)) adj5 ((transmit$3 send$3 transfer$3) near5 (req request) ) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L18 | 20 | L17 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L19 | 5 | (server adj5 (transmit$3 send$3 transfer$3) near5 (req request) near5 (message)) with ( (client) adj5 wait) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L20 | 3 | L19 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L21 | 970 | (server near2 (sent send$3 transmit$3 transfer$5) near3 (request near3 (message)) ) with client | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L22 | 321 | L21 same (response near5 (message) with client) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L23 | 139 | L22 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L24 | 53 | (server adj5 poll$3 adj5 (client node) adj5 (chang $3 request)) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L25 | 13 | L24 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L26 | 68 | (generat$3 near3 (codec encoder code ) near5 (translat$5)) with (format) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L27 | 39 | L26 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:40 |
| L28 | 118 | (client near5 (receives) near5 (get) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:41 |
| L29 | 57 | L28 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 18:41 |
| S1 | 1 | "20050204055".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 16:47 |
| S2 | 477 | ((re$1translat$4 translat$4 re$1cod$3) with (data) with (format)).ab. | US-PGPUB; USPAT | OR | ON | 2008/07/23 16:59 |
| S3 | 359 | S2 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/23 16:59 |

| S4 | 0 | S3 and (data with object with definition with message) | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:01 |
|----|-----|---|---|---|---|---|
| S5 | 103275 | 709/232.ccls. "370".clas. 710/61.ccls. | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:02 |
| S6 | 56 | S5 and ((re$1translat$4 translat$4 re$1cod$3) with (data) with (format)).ab. | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:02 |
| S7 | 43 | S6 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:02 |
| S8 | 2 | "20050204055".pn. | US-PGPUB; USPAT; DERWENT | OR | ON | 2008/07/23 17:07 |
| S9 | 669 | automatic with translation with code | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:08 |
| S10 | 11 | (automatic with translation with code).ab. | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:08 |
| S11 | 6 | S10 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:08 |
| S12 | 344 | S9 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:09 |
| S13 | 1 | S12 and (change$2 with data with format) | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:10 |
| S14 | 1 | "5608874".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 17:17 |
| S15 | 1 | "6185625".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 18:13 |
| S16 | 8985 | (automatic$4) with (translate translating re$1format$4 re$1cod$3 format$4) with (data code) | US-PGPUB; USPAT | OR | ON | 2008/07/23 18:25 |
| S17 | 2168 | S16 and ((data code format) with (criteria require$1) with (client user)) | US-PGPUB; USPAT | OR | ON | 2008/07/23 18:26 |
| S18 | 1349 | S17 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/23 18:27 |
| S19 | 601 | ((automatic$4) with (translate translating re$1format$4 re$1cod$3 format$4) with (data code)).ab. | US-PGPUB; USPAT | OR | ON | 2008/07/23 18:27 |
| S20 | 170 | S19 and ((data code format) with (criteria require$1) with (client user)) | US-PGPUB; USPAT | OR | ON | 2008/07/23 18:27 |
| S21 | 80 | S20 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/23 18:27 |

| S22 | 1 | "20040049736".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 21:39 |
|-----|---|---|---|---|---|---|
| S23 | 3 | "20040049736".pn. "20030121001".pn. "5819250".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 22:14 |
| S24 | 1 | "20020122060".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 23:12 |
| S25 | 25 | (server with (re$1format$4 re$1cod$3) with (data file)).ab. | US-PGPUB; USPAT | OR | ON | 2008/07/23 23:34 |
| S26 | 21 | S25 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/23 23:35 |
| S27 | 1 | "5911776".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 23:48 |
| S28 | 1 | "6260043".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/23 23:50 |
| S29 | 24 | ((automatic) with (data format) with (conversion) with (system server)).ab. | US-PGPUB; USPAT | OR | ON | 2008/07/24 00:09 |
| S30 | 17 | S29 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 00:10 |
| S31 | 9 | ((automatic) with (data format) with (conversion) with (system server)).ti. | US-PGPUB; USPAT | OR | ON | 2008/07/24 00:10 |
| S32 | 7 | S31 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 00:10 |
| S33 | 1 | "6601108".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 00:34 |
| S34 | 1 | "6826597".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 17:14 |
| S35 | 45 | ("6012098" | "6125391" | "6154738" | "6263332" | "6301471" | "6317783" | "6334126" | "6397217" | "6397259" | "6401132" | "6477549" | "6480860").PN. OR ("6826597").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/07/24 17:41 |
| S36 | 9 | (server) with (automatic $4) with (poll$3) with (client) with (updat$3) with (file data format message information) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:04 |
| S37 | 8 | S36 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:04 |
| S38 | 1 | "6029196".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:06 |
| S39 | 4200 | server adj10 request adj10 (file data message information) adj10 client | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:17 |

| S40 | 6860 | server adj10 request adj10 (file data message information) adj10 (client user) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:17 |
|---|---|---|---|---|---|---|
| S41 | 2523 | server adj5 request adj5 (file data message information) adj5 client | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:17 |
| S42 | 832 | S41 and (re$1format translat$3 re$3configur$3) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:18 |
| S43 | 407 | S41 and ((re$1format translat$3 re$3configur$3) with (data file format)) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:18 |
| S44 | 288 | S43 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:18 |
| S45 | 0 | server adj5 request adj5 (file data message information) adj5 client adj5 periodically | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:21 |
| S46 | 0 | server adj5 request adj5 (file data message information) adj5 client adj5 periodic$5 | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:21 |
| S47 | 1 | server adj5 (request poll $3) adj5 (file data message information) adj5 client adj5 periodic$5 | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:21 |
| S48 | 0 | ((chang$3) with (data) with (format)) same (server with request with (file message data) with from with client) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:41 |
| S49 | 0 | ((chang$3) with (data) with (format)) and (server with request with (file message data) with from with client) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:41 |
| S50 | 0 | (server with request with (file message data) with from with client) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:41 |
| S51 | 22397 | (server with request with (file message data) with client) | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:41 |
| S52 | 1 | "6029175".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 19:47 |
| S53 | 4539 | (server with get with request) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:04 |
| S54 | 75 | (client with issues with server with get with request) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:04 |
| S55 | 56 | S54 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:04 |

| S56 | 18 | (server with (detect$3) with (chang$3) with (client) with (file data)) same ((automatic$4) (request$3 get$3) with (update$1) with (file data)) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:30 |
| S57 | 13 | S56 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:30 |
| S58 | 10543 | (data with synchroniz$5). ab. | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:35 |
| S59 | 165 | (monitor$3 with client with detect$3 with change) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:37 |
| S60 | 82 | S59 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:37 |
| S61 | 9604 | S60 (server with request with updat$3) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:37 |
| S62 | 6 | S60 and (server with request with updat$3) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:37 |
| S63 | 1 | S59 same (server with request with updat$3) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:38 |
| S64 | 1730 | (data with synchroniz$5). ti. | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:47 |
| S65 | 12 | S64 and (server adj5 request$3 adj5 (data file) adj5 (client user)) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:48 |
| S66 | 7 | S65 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:48 |
| S67 | 3 | S64 and (server adj5 send adj5 request$3 adj5 (data file) adj5 (client user)) | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:50 |
| S68 | 2 | "5884325".pn. "6161145". pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 20:51 |
| S69 | 1 | changes with (data file) with detect$2 with (during) with exchange with (file data) with between with server with client | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:12 |
| S70 | 1 | changes with (data file) with detect$2 with (during) with exchange with (file data) with between with server with (client client) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:13 |
| S71 | 1 | changes with (data file) with detect$2 with (during) with exchange with (file data) with between with server with (client user) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:13 |

| S72 | 1 | changes with (data file) with detect$2 with (during) with exchange with (file data) with between with (server host) with (client user) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:14 |
| S73 | 199 | (client user) with (send$3) with (notification message) with (data file) with (change$1) with (server) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:17 |
| S74 | 122 | S73 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:17 |
| S75 | 0 | (client user) adj5 (send$3) adj5 (notification message) adj5 (data file) adj5 (change$1) adj5 (server) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:18 |
| S76 | 1 | "5911066".pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:18 |
| S77 | 0 | (client user) adj10 (send $3) adj10 (notification message) adj10 (data file) adj10 (change$1) adj10 (server) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:21 |
| S78 | 3 | "20020049666".pn. "5884325".pn. "6826597". pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:24 |
| S79 | 3 | "20030233383".pn. "5884325".pn. "6826597". pn. | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:25 |
| S80 | 1009 | MARTINEZ-JUAN.in. philipp-ralf.in. sommerlade-frank.in. sap.as. | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:29 |
| S81 | 5551 | 709/228,220.ccls. | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:30 |
| S82 | 0 | S81 and (automatic with translation with code) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:30 |
| S83 | 2073 | S81 and (translat$3 re $1format$3 re$1configur $4) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:31 |
| S84 | 719 | S81 and ((translat$3 re $1format$3 re$1configur $4) with (data file)) | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:31 |
| S85 | 582 | S84 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2008/07/24 21:31 |
| S86 | 1 | "S6826597".pn. "6615212". pn. | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:02 |
| S87 | 2 | "6826597".pn. "6615212". pn. | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:02 |

| S88 | 251 | (utiliz$3 using) near5 (xml) near5 (transfer send transmit) near5 (packet data file) | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:24 |
| S89 | 108 | S88 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:25 |
| S90 | 8 | S88 same xsl | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:31 |
| S91 | 13 | S88 same5 xsl | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:31 |
| S92 | 0 | S88 and ((xsl) with ( tanscod$3 translat$5)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:33 |
| S93 | 422 | ((xsl) with ( tanscod$3 translat$5)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:34 |
| S94 | 466 | ((xsl) with ( transcod$3 translat$5)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:34 |
| S95 | 0 | S88 and ((xsl) with ( transcod$3 translat$5)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:34 |
| S96 | 7 | S88 and ((xsl) with ( transcod$3 translat$5 encod$3)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:34 |
| S97 | 1 | S96 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:34 |
| S98 | 1 | "20030206717".pn. | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:43 |
| S99 | 1 | S98 and (transcod$3 with (metadata)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 18:56 |
| S100 | 1 | S98 and ((metadata)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 19:02 |
| S101 | 1 | (US-6615212-$).did. | USPAT | OR | ON | 2010/02/26 19:12 |
| S102 | 466 | ((xsl) with ( transcod$3 translat$5)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 19:13 |
| S103 | 72 | (utiliz$3 using) near5 ((xsl) with ( transcod$3 translat$5)) | US-PGPUB; USPAT | OR | ON | 2010/02/26 19:13 |
| S104 | 43 | S103 and @ad< "20040312" | US-PGPUB; USPAT | OR | ON | 2010/02/26 19:13 |
| S105 | 1 | "5884325".pn. | US-PGPUB; USPAT | OR | ON | 2010/02/26 19:30 |
| S106 | 1 | "20030206717".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 13:53 |
| S107 | 3 | "20030206717".pn. "20060095961".pn. "20040032860".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 14:03 |
| S108 | 4 | "20030206717".pn. "20060095961".pn. "20040032860".pn. "5884325".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 14:55 |

| S109 | 56 | (client near5 (pushing)) same (server near5 (pulling)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:08 |
| S110 | 23 | S109 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:08 |
| S111 | 0 | S109 same ((data near5 object) metadata) | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:09 |
| S112 | 102 | ((data near5 object) metadata) with (push near5 pull) | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:15 |
| S113 | 9 | ((data near5 object) metadata) with (push near5 pull) with (server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:15 |
| S114 | 2 | S113 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:15 |
| S115 | 26 | S112 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:16 |
| S116 | 18 | ((data near5 object) metadata) with (push near5 pull) same (server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:17 |
| S117 | 5 | S116 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 15:17 |
| S118 | 2 | "20030061062".pn. "20030014617".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 18:51 |
| S119 | 0 | ((push near5 pull) same (server)) same (request$3 near5 different near5 format) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:17 |
| S120 | 6 | ((push near5 pull) same (server)) and(request$3 near5 different near5 format) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:17 |
| S121 | 2 | S120 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:17 |
| S122 | 1115 | ((push near5 pull) same (server)) and (request$3 near5 user) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:20 |
| S123 | 611 | ((push near5 pull) with (server)) and (request$3 near5 user) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:21 |
| S124 | 56 | ((push near5 pull) with (server)) same (request$3 near5 user) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:21 |
| S125 | 22 | S124 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:21 |
| S126 | 110 | ((push near5 pull) with (server)) same (request$3 near5 (user client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:24 |
| S127 | 45 | S126 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:24 |

| S128 | 23 | S127 not S125 | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:24 |
|---|---|---|---|---|---|---|
| S129 | 92 | (server adj5 pull) same (client adj5 Push) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:27 |
| S130 | 19 | S129 same (request$3 near5 (user client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:27 |
| S131 | 10 | S130 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:27 |
| S132 | 435 | (server with (push pull) ) same (server adj5 request $3 adj5 client) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:30 |
| S133 | 247 | S132 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:30 |
| S134 | 12 | (server with (push near5 pull) ) same (server adj5 request$3 adj5 client) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:30 |
| S135 | 4 | S134 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:30 |
| S136 | 0 | "2002016381".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:32 |
| S137 | 1 | "20020163811".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:32 |
| S138 | 1 | "20020103811".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:32 |
| S139 | 50 | (server near5 (push near5 pull) adj5 client) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:33 |
| S140 | 4 | S135 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:34 |
| S141 | 108 | "l240" and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:34 |
| S142 | 1823 | "l24" and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:34 |
| S143 | 23 | S139 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:34 |
| S144 | 0 | "200201523178".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:42 |
| S145 | 0 | "2002015231".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:42 |
| S146 | 1 | "20020152318".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:42 |
| S147 | 23 | (server adj5 pull near5 (data information metadata)) same (client adj5 Push near5 (data information metadata)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:44 |

| S148 | 37 | (server adj5 pull near5 (data information metadata)) same5 (client adj5 Push near5 (data information metadata)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:44 |
|---|---|---|---|---|---|---|
| S149 | 18 | S148 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:44 |
| S150 | 7340 | (server near5 (request$3) near5 (data info information metadata) adj5 client) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:49 |
| S151 | 1049 | S150 and (client near5 (transmit$5 send$3 transfer$5) near5 (request) near5 (data info information metadata) adj5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:51 |
| S152 | 289 | S150 same (client near5 (transmit$5 send$3 transfer$5) near5 (request) near5 (data info information metadata) adj5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:51 |
| S153 | 1 | S150 same (instead with client near5 (transmit$5 send$3 transfer$5) near5 (request) near5 (data info information metadata) adj5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:52 |
| S154 | 167 | S152 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:52 |
| S155 | 7 | (client adj5 (push near3 pull) near5 (data info information metadata) adj5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:58 |
| S156 | 6 | S155 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 19:58 |
| S157 | 167 | (client adj5 ( pull$3) near5 (data info information metadata) adj5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:00 |
| S158 | 156 | (client adj5 ( pull$2) near5 (data info information metadata) adj5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:00 |
| S159 | 117 | (client adj5 (( pull$2) near5 (data info information metadata)) adj5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:02 |
| S160 | 13 | (client adj5 (( pulled) near5 (data info information metadata)) adj5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:02 |

| S161 | 3 | S160 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:02 |
|------|---|-------------------------|-----------------|-----|-----|-------------------|
| S162 | 59 | (detect$3 near5 chang$3) same (server adj5 (request $3 ask$3) near5 (client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:06 |
| S163 | 37 | S162 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:06 |
| S164 | 6 | (server near5 detect$3 near5 chang$3 with ((user client) near5 (request))) same2 ( (server) adj5 ((request$3 ask$3) near5 (user client) near5 (file data info packet information)) ) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:11 |
| S165 | 4 | S164 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:12 |
| S166 | 147 | (client near5 (transmit$3 send$3 transfer$3) near5 (request) near5 (directly adj5 server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:14 |
| S167 | 0 | S166 same2 (client adj5 (wait$5) near5 (request) near5 ( server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:14 |
| S168 | 376 | (client adj5 (wait$5) near5 (request) near5 ( server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:14 |
| S169 | 66 | ((client adj5 (wait$5)) near5 (file data info information metada) near5 (request ask$3) near5 ( server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:15 |
| S170 | 36 | S169 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:15 |
| S171 | 0 | ((client adj5 (wait$5)) near5 (respons$2) near5 (from) near5 ( server)) same (client near5 (send $3 transmit$5 transfer$5) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:18 |
| S172 | 0 | ((client adj5 (wait$5)) near5 (respons$2) near5 (from) near5 ( server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:19 |
| S173 | 86 | ((client adj5 (wait$5)) near5 (respons$2) near5 ( server)) same (client near5 (send$3 transmit$5 transfer$5) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:20 |
| S174 | 53 | S173 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:21 |

| S175 | 0 | ((client adj5 (wait$5)) near5 (req) near5 ( server)) same (client near5 (send$3 transmit$5 transfer$5) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:23 |
|------|---|---|---|---|---|---|
| S176 | 0 | ((client adj5 (wait$5)) near5 (req ask) near5 ( server)) same (client near5 (send$3 transmit$5 transfer$5) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:23 |
| S177 | 0 | ((client adj5 (wait$5)) near5 (req ack) near5 ( server)) same (client near5 (send$3 transmit$5 transfer$5) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:23 |
| S178 | 968 | (server near5 request$3 near5 (message file data packet info information)) adj10 ( (client) near5 (transmit$5 transfer$5 send$5) near5 (message file data packet info information) ) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:25 |
| S179 | 80 | (server near5 request$3 near5 (message file data packet info information)) adj10 ( (client) near5 (response) near5 (request) near5 (transmit$5 transfer $5 send$5) near5 (message file data packet info information) ) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:26 |
| S180 | 57 | S179 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:26 |
| S181 | 1193 | (server adj5 (transmit$3 send$3 transfer$3) near5 (req request) near5 (message) near5 (client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:30 |
| S182 | 0 | S181 same ( (client) near5 (transfer$3 send$3 transmit$5) near5 (request) near5 (direct$3) adj5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:31 |
| S183 | 4 | (server adj5 (transmit$3 send$3 transfer$3) near5 (req request) near5 (message)) with ( (client) adj5 wait) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:32 |
| S184 | 3 | S183 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:32 |

| S185 | 35 | ( (client) adj5 wait adj5 (response ack reply acknowledgment server)) adj5 ((transmit$3 send$3 transfer$3) near5 (req request) ) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:34 |
|------|-----|------|------|------|------|------|
| S186 | 20 | S185 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:34 |
| S187 | 1112 | (Client near5 (transmit$3 send$3 transfer$3) near5 (req request) ) with ( (upon receiv$3 wait$3 after) near5 (response ack reply acknowledgment) near5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:41 |
| S188 | 475 | (Client near5 (transmit$3 send$3 transfer$3) near5 (req request) ) adj5 ( (upon receiv$3 wait$3 after) near5 (response ack reply acknowledgment) near5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:41 |
| S189 | 34 | (Client near5 (transmit$3 send$3 transfer$3) near5 (req request) ) adj5 ( (upon receiv$3 wait$3 after) near5 (from transmit $3 send$3 transfer$3 sent) near5 (response ack reply acknowledgment) near5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:41 |
| S190 | 16 | S189 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:42 |
| S191 | 37 | (Client near5 (transmit$3 send$3 transfer$3) near5 (message data file packet) ) adj5 ( (upon ) near5 (request) near5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:44 |
| S192 | 23 | S191 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:45 |
| S193 | 0 | ( (upon response) near5 (request) near5 from near5 server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:47 |
| S194 | 2408 | (after near5 (server) near5 request$3 near5 (data info information metadata file packet message)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:50 |
| S195 | 339 | S194 same (Client near5 (transmit$3 send$3 transfer$3)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:50 |

| S196 | 55 | S194 same (Client near5 (transmit$3 send$3 transfer$3) near5 (response)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:50 |
| S197 | 27 | S196 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:51 |
| S198 | 413 | (server near3 (sent send$3 transmit$3 transfer$5)) adj5 (request near5 (message) near5 (client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:56 |
| S199 | 0 | (server near3 (sent send$3 transmit$3 transfer$5)) adj5 (request near5 (message) near5 to near5 (client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:56 |
| S200 | 0 | (server near3 (sent send$3 transmit$3 transfer$5)) near5 (request near5 (message) near5 (to near3 (client))) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:57 |
| S201 | 1296 | (server near3 (sent send$3 transmit$3 transfer$5)) near5 (request near5 (message) near3 (client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:57 |
| S202 | 3330 | (server near2 (sent send$3 transmit$3 transfer$5) near3 (request near3 (message)) ) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:58 |
| S203 | 861 | (server near2 (sent send$3 transmit$3 transfer$5) near3 (request near3 (message)) ) with client | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:58 |
| S204 | 309 | S203 same (response near5 (message)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:58 |
| S205 | 281 | S203 same (response near5 (message) with client) | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:59 |
| S206 | 137 | S205 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 20:59 |
| S207 | 278 | (server near5 (transmit$5 send$3 transfer$4) near5 (get) near5 (request) near5 (client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:03 |
| S208 | 37 | (server near5 (transmit$5 send$3 transfer$4) near5 (get) near5 (request) adj5 (client)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:03 |
| S209 | 37 | (server near5 (transmit$5 send$3 transfer$4) near5 (get) near5 (request)) adj5 (client) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:03 |

| S210 | 28 | S209 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:03 |
|------|------|-------------------------|-----------------|-----|-----|------------------|
| S211 | 103 | ((client near5 (receives) near5 (get) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:05 |
| S212 | 54 | S211 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:05 |
| S213 | 33 | (client adj5 (receives) near5 (get) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:06 |
| S214 | 76 | (client adj5 (receiv$5) near5 (get) near5 (request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:06 |
| S215 | 48 | S214 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:06 |
| S216 | 36 | (client adj5 (receiv$5) near5 (get) near5 (request) near5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:07 |
| S217 | 17 | (client) adj5 ((receiv$5) near5 (get) near5 (request) near5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:07 |
| S218 | 14 | S217 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:08 |
| S219 | 4745 | (client) adj5 ((receiv$5) near5 (request) near5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:09 |
| S220 | 4139 | S219 not (get near3 request) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:09 |
| S221 | 1 | "5884325".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:10 |
| S222 | 0 | (request) adj5 from adj5 (server) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:16 |
| S223 | 92 | server adj5 (send$3 transmit$5) adj5 client adj5 request adj5 message | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:19 |
| S224 | 33 | S223 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:19 |
| S225 | 45 | (server adj5 poll$3 adj5 (client node) adj5 (chang $3 request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:24 |
| S226 | 13 | S225 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:24 |
| S227 | 434 | (server adj5 poll$3 adj5 (client node) ) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:26 |
| S228 | 8 | S227 same (server near5 (detect$3 determin$3) near5 (chang$3 request)) | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:27 |
| S229 | 3 | S228 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:27 |

| S230 | 1 | "20020092004".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/10 21:38 |
|------|---|-------------------|-----------------|----|----|--------------------|
| S231 | 1 | "20050204055".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/11 10:46 |
| S232 | 425 | (request$3) near5 (chang$3) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/03/11 10:55 |
| S233 | 0 | (request$3) near5 (chang$3) near5 (data file packet) near5 (type format) with (from adj2 (client user)) | US-PGPUB; USPAT | OR | ON | 2010/03/11 10:56 |
| S234 | 425 | (request$3) near5 (chang$3) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:00 |
| S235 | 12 | S234 same (detect$3 determin$3) near5 (chang$3) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:01 |
| S236 | 4 | S235 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:01 |
| S237 | 12 | S234 same (detect$3 determin$3) near5 (chang$3 alter$5 correct$3 conversion replacement) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:10 |
| S238 | 14 | S234 same (detect$3 determin$3) near5 (chang$3 alter$5 modif$6) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:11 |
| S239 | 23985 | (request$3) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:12 |
| S240 | 36 | S239 same (detect$3 determin$3) near5 (chang$3 alter$5 modif$6) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:12 |
| S241 | 11 | S240 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:12 |
| S242 | 2 | (server system computer) adj5 ((detect$3 determin$3) near5 (chang$3 alter$5 correct$3 conversion replacement) near5 (data file packet) near5 (type format) ) adj5 (client user) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:15 |

| S243 | 194 | (server system computer) adj5 ((detect$3 determin $3) near5 (chang$3 alter $5 correct$3 conversion replacement) near5 (data file packet) near5 (type format) ) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:16 |
|------|-----|---------|---------|-----|-----|---------|
| S244 | 3358 | (server system computer) adj5 ((request$3 quer$5 ask$5 inquir$5) near5 (data file packet) near5 (type format) ) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:33 |
| S245 | 1 | S243 same S244 | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:34 |
| S246 | 232 | (server system computer) adj5 ((detect$3 determin $3 monitor$5) near5 (chang$3 alter$5 correct$3 conversion replacement) near5 (data file packet) near5 (type format) ) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:35 |
| S247 | 2 | S246 same3 S244 | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:37 |
| S248 | 8 | S246 and S244 | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:37 |
| S249 | 3 | S248 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:37 |
| S250 | 175 | ((server system computer) adj10 (quer$5 ) adj10 (client)) same ((data file packet) near5 (type format) ) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:51 |
| S251 | 1 | ((server system computer) adj10 (quer$5 ) adj10 (client)) same ((chang$3 alter$5 correct$3 conversion replacement) near5 (data file packet) near5 (type format) ) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:53 |
| S252 | 26 | ((server system computer) adj10 (quer$5 ) adj10 (client)) same5 ((chang$3 alter$5 correct$3 conversion replacement) near5 (data file packet) near5 (type format) ) | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:53 |
| S253 | 15 | S252 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/03/11 11:54 |
| S254 | 3 | "20030206717".pn. "20040032860".pn. "20030014617".pn. | US-PGPUB; USPAT | OR | ON | 2010/03/11 15:14 |

| S255 | 1 | "2003026717".pn. "20040032860".pn. | US-PGPUB; USPAT | OR | ON | 2010/06/24 11:02 |
|---|---|---|---|---|---|---|
| S256 | 2 | "20030206717".pn. "20040032860".pn. | US-PGPUB; USPAT | OR | ON | 2010/06/24 11:02 |
| S257 | 1 | "20030206717".pn. | US-PGPUB; USPAT | OR | ON | 2010/08/06 17:45 |
| S258 | 746 | generat$5 near5 (codec encoder code) near5 (translation) | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:42 |
| S259 | 2 | generat$5 near5 (codec encoder code) near5 (translation) with (second near3 format) | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:42 |
| S260 | 2 | generat$3 near5 (codec encoder code) near5 (translation) with (second near3 format) | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:45 |
| S261 | 26 | generat$3 near5 (codec encoder code) near5 (translation) with (format) | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:45 |
| S262 | 13 | S261 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:45 |
| S263 | 155 | (generat$3 near5 (codec encoder code)) with (translat$5) with (format) | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:48 |
| S264 | 95 | S263 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:48 |
| S265 | 5 | (generat$3 near3 (codec encoder )) with (translat $5) with (format) | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:49 |
| S266 | 4 | S265 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:49 |
| S267 | 65 | (generat$3 near3 (codec encoder code ) near5 (translat$5)) with (format) | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:52 |
| S268 | 39 | S267 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/06 18:52 |
| S269 | 1 | "20050204055".pn. | US-PGPUB; USPAT | OR | ON | 2010/08/06 19:08 |
| S270 | 1 | S269 and generat$3 | US-PGPUB; USPAT | OR | ON | 2010/08/06 19:08 |
| S271 | 33 | (generat$5 near4 new near5 translat$5 near5 (code codec)) | US-PGPUB; USPAT | OR | ON | 2010/08/06 19:10 |
| S272 | 21 | S271 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/06 19:10 |
| S273 | 105 | (generat$5) near5 (new) near5 ( (codec) (translat$5 near2 (file code)) ) | US-PGPUB; USPAT | OR | ON | 2010/08/09 14:08 |

| S274 | 96362 | "l1" and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/09 14:08 |
| S275 | 48 | S273 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/09 14:08 |
| S276 | 138386 | 709/232.ccls. "370".clas. 710/61.ccls. | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:02 |
| S277 | 63 | S276 and ((re$1translat$4 translat$4 re$1cod$3) with (data) with (format)).ab. | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:02 |
| S278 | 44 | S277 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:02 |
| S279 | 8064 | 709/228,220.ccls. | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:02 |
| S280 | 8064 | 709/228,220.ccls. | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:03 |
| S281 | 1006 | S280 and ((translat$3 re$1format$3 re$1configur$4) with (data file)) | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:03 |
| S282 | 675 | S281 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:03 |
| S283 | 2422 | MARTINEZ-JUAN.in. philipp-ralf.in. sommerlade-frank.in. sap.as. | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:03 |
| S284 | 543 | S283 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:03 |
| S285 | 99 | server adj5 (send$3 transmit$5) adj5 client adj5 request adj5 message | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:04 |
| S286 | 33 | S285 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:04 |
| S287 | 461 | (request$3) near5 (chang$3) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:04 |
| S288 | 13 | S287 same (detect$3 determin$3) near5 (chang$3) near5 (data file packet) near5 (type format) | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:04 |
| S289 | 4 | S288 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:04 |
| S290 | 18 | (client) adj5 ((receiv$5) near5 (get) near5 (request) near5 (server)) | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:04 |
| S291 | 14 | S290 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:04 |
| S292 | 97 | (server adj5 pull) same (client adj5 Push) | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:05 |
| S293 | 20 | S292 same (request$3 near5 (user client)) | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:05 |

| S294 | 10 | S293 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:05 |
|------|-----|-----|-----|-----|-----|-----|
| S295 | 125 | ((push near5 pull) with (server)) same (request$3 near5 (user client)) | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:06 |
| S296 | 45 | S295 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/08/11 18:06 |
| S297 | 379 | (restrict$3 limit$3) near5 (react$3 respons$5 determin$5 execut$5) near5 (server) same (message metadata) | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:42 |
| S298 | 5 | S297 same5 ((transcod$5 encod$5 translat$5) near8 (format version)) | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:43 |
| S299 | 714 | ((automatic$4) with (translate translating re $1format$4 re$1cod$3 format$4) with (data code)).ab. | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:44 |
| S300 | 204 | S299 and ((data code format) with (criteria require$1) with (client user)) | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:44 |
| S301 | 82 | S300 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:44 |
| S302 | 145407 | 709/232.ccls. "370".clas. 710/61.ccls. | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:44 |
| S303 | 65 | S302 and ((re$1translat$4 translat$4 re$1cod$3) with (data) with (format)).ab. | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:44 |
| S304 | 44 | S303 and @ad<"20040312" | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:44 |
| S305 | 0 | "I9" and (restrict$3 limit $3) near5 (react$3 respons $5 determin$5 execut$5) near5 (server) same (message metadata) | US-PGPUB; USPAT | OR | ON | 2010/12/14 14:45 |

**12/ 14/ 2010 6:42:04 PM**
**C:\ Documents and Settings\ hshiu\ My Documents\ EAST\ Workspaces\ 10800312_Main.wsp**